


DSG-CANUSA

A SHAWCOR COMPANY

INSULATE
SEAL
PROTECT

QUIK_SELECT'R



QUIK_SELECT'R

CABLE ACCESSORY SELECTION GUIDE

HOW TO USE THIS GUIDE: IT'S AS EASY AS 1, 2, 3

1. Use the index pages to select cable accessories for single core or three core cables. Find the voltage class and cable type (15 kV tape shielded, etc.) and turn to the respective page
2. Find your conductor size
3. Select the products you need across the conductor size line

PURPOSE OF THIS GUIDE

This guide has been developed to assist contractors, estimators and sales people doing takeoffs or responding to bid requests. The guide allows you to find a wide variety of products that will save valuable time and man hours on the job. For example: if you have 1/C, 2/0 AWG, 5 kV copper tape shielded cable and 3/C armoured, 350 kcmil, 15 kV copper tape shielded cable to be installed, at a minimum you will need to consider ordering the following:

- Live front terminations (indoor or outdoor) or dead front elbows
- Straight joints
- End caps if the cable will not be terminated or spliced within 24 hr
- Jacket repair sleeves to repair damage during shipment or during the cable pull
- Motor termination kit for hook-up to a 5 kV circuit

The descriptions on the following page provide further details on the product application and uses on 1/C and 3/C cables.

PRODUCT OPTIONS

CABLE ACCESSORY DESCRIPTIONS

1/C TERMINAL SEAL



3/C TERMINAL SEALS



>1 kV 1/C, 3/C AND 3/C ARMoured LOW VOLTAGE TERMINAL SEALS

CFM medium wall tubing is used to seal low voltage cable to the terminal. The tubing is supplied in 48 in lengths and cut to size for 1/C terminal seals. CCB cable breakout boots are combined with the CFM Tubing to seal the crotch area where the individual phases exit the common jacket. Separate sealant is used to seal ground wires.

1/C INDOOR & OUTDOOR



3/C INDOOR & OUTDOOR



5 - 35 kV, 1/3, 3/C (ARMoured) MEDIUM VOLTAGE LIVE-FRONT TERMINATIONS

CT series terminations are supplied as either indoor or outdoor, live-front terminations. Indoor is where the termination is not exposed to direct precipitation (CT xxx or CT xxxG). Outdoor kits are for when the termination is exposed to direct precipitation (CT xxxE or CT xxxEG). Termination kits for unshielded cables are suitable for both indoor and outdoor applications. Three core kits are for armoured and unarmoured cables. They use three, single core terminations plus a conversion kit.

1/C ELBOW SEAL KIT



3/C ELBOW SEAL KIT



1/C, 3/C (ARMoured) DEAD-FRONT ELBOW SEAL KITS, W & W/O GROUND KITS

CESK series kits seal and mechanically reinforce dead-front, load break elbows. CESK (G) kits are the same as above but include an external grounding kit for tape shield cables. Three core cables can be totally sealed with a CT3MODx kit to convert the three core cable into three, single cores, and adding the three CESK or CESK(G) kits for the elbow seals.

1/C SPLICES



3/C SPLICES



600 V - 1 kV, 1/C AND 3/C (ARMoured) SPLICES

600 V - 1 kV, CFM series heavy wall tubing is supplied in 48 in tubes for field cutting. The tube is cut so that it is at least 4 in longer than the butt splice it is insulating and sealing. A separately purchased CRDW wraparound sleeve is combined with the three CFW tubes to seal across the spliced three core cable from jacket to jacket.

1/C JOINTS W/TUBE JACKET



3/C JOINTS



5 - 35 kV, 1/C AND 3/C (ARMoured) SPLICES

CJ series joints are for 1/C joints with a lower cost tubular splice jacket for some 8 - 35 kV joints. A wraparound jacket sleeve version is provided for the longer joints, including all 3/C and 3/C armoured joints. Joints do not come with butt splice connectors. Parallel crimp connectors are provided for connecting the drain wires to the ground braid and constant force springs are provided for attaching the braid to the metal tape shield on CJ xx20 series kits.

1/C & 3/C JACKET REPAIR



1/C & 3/C END CAPS



600 V - 35 kV, 1/C AND 3/C (ARMoured) JACKET REPAIR AND END CAPS

CRDW and CRLS are wraparound repair sleeves for insulation and jacket repair on cables rated to 1 kV and for jacket repair only above 1 kV. CRDW has stainless steel channels to hold the rails and form a tube. CRLS is railless. CRDW is unsuitable for 5 kV unshielded cables because of the stainless steel channels. They are acceptable for jacket repair on all shielded cables 5 - 35 kV. CCAP series end caps are for live-ending up to 1 kV, 1/C cables and for sealing all other cables.

600 V AND 5 kV STUB OR IN-LINE MOTOR CONNECTIONS



600 V AND 5kV, MOTOR CONNECTION KITS

CMTK motor connection kits are available in two configuration: the stub type which take up the least room in the motor box, and the in-line type where generous space is provided by the motor box. The CMTK 10V (stub) and CMTK 10L (in-line) series kits are rated to 1 kV (480 V motors). CMTK 50V (stub) and CMTK 50L (in-line) series kits are rated to 5 kV (2300 - 4160 V motors).

INDEX

SINGLE CORE CABLES

UNSHIELDED CABLES				PAGE
1/C	600 V	XLPE or EPR/PVC or EPR/CSPE		6
1/C	5 kV	Unshielded XLPE or EPR/PVC or EPR/CSPE		6
SHIELDED CABLES				
1/C	5 kV	90 - 115 mils	Copper Tape	7
1/C	5 kV	90 - 115 mils	Drain Wire	7
1/C	5 kV	115 mils	UniShield®	8
1/C	15 kV	175 - 220 mils	Copper tape	9
1/C	15 kV	175 - 220 mils	Drain Wire	9
1/C	15 kV	175 - 220 mils	UniShield®	10
1/C	15 kV	175 - 220 mils	LC Type (longitudinally corrugated)	10
1/C	15 kV	175 - 220 mils	Bare Concentric Neutral (URD)	11
1/C	15 kV	175 - 220 mils	Jacketed Concentric Neutral (JCN)	11
1/C	25 - 28 kV	260 - 280 mils	Copper Tape	12
1/C	25 - 28 kV	260 - 280 mils	Drain Wire	12
1/C	25 - 28 kV	260 - 280 mils	UniShield®	13
1/C	25 - 28 kV	260 - 280 mils	LC Type (longitudinally corrugated)	13
1/C	25 - 28 kV	260 - 280 mils	Bare Concentric Neutral (URD)	14
1/C	25 - 28 kV	260 - 280 mils	Jacketed Concentric Neutral (JCN)	14
1/C	35 kV	345 mils	Copper Tape	15
1/C	35 kV	345 mils	Drain Wire	15
1/C	35 kV	345 mils	UniShield®	16
1/C	35 kV	345 mils	LC Type (longitudinally corrugated)	16
1/C	35 kV	345 mils	Bare Concentric Neutral (URD)	17
1/C	35 kV	345 mils	Jacketed Concentric Neutral (JCN)	17

THREE CORE CABLES

UNSHIELDED CABLES				PAGE
3/C Unarmoured	600 V	XLPE or EPR/PVC or EPR/CSPE		18
3/C Armoured	600 V	XLPE or EPR/PVC or EPR/CSPE		18
3/C Unarmoured	5 kV	Unshielded XLPE or EPR/PVC or EPR/CSPE		19
3/C Armoured	5 kV	Unshielded XLPE or EPR/PVC or EPR/CSPE		19
SHIELDED CABLES				
3/C Unarmoured	5 kV	90 - 115 mils	Copper Tape	20
3/C Armoured	5 kV	90 - 115 mils	Copper Tape	20
3/C Unarmoured	15 kV	175 - 220 mils	Copper Tape	21
3/C Armoured	15 kV	175 - 220 mils	Copper Tape	21
3/C Unarmoured	25 - 28 kV	260 - 280 mils	Copper Tape	22
3/C Armoured	25 - 28 kV	260 - 280 mils	Copper Tape	22
3/C Unarmoured	35 kV	345 mils	Copper Tape	23
3/C Armoured	35 kV	345 mils	Copper Tape	23

1/C, 600 V CABLE - XLP, EPR/PVC OR EPR/CSPE

CONDUCTOR SIZE	TERMINAL LUG SEAL*	STRAIGHT SPLICE*	END CAP	JACKET/INSULATION REPAIR		MOTOR CONNECTION KIT	
				RAILED	RAILESS	STUB TYPE	IN-LINE TYPE
#8	CFM-Blk-0750-6-lined	CFW-Blk-0500-6-lined	CCAP 0400-RL	Not Applicable	CRLS-1-36	CMTK 12V	CMTK 11L
#6	CFM-Blk-0750-6-lined	CFW-Blk-0500-6-lined	CCAP 0400-RL	Not Applicable	CRLS-1-36	CMTK 12V	CMTK 11L
#4	CFM-Blk-0750-6-lined	CFW-Blk-1100-6-lined	CCAP 0400-RL	CRDW-1-48	CRLS-1-36	CMTK 12V	CMTK 11L
#2	CFM-Blk-1100-6-lined	CFW-Blk-1100-6-lined	CCAP 0400-RL	CRDW-1-48	CRLS-1-36	CMTK 12V	CMTK 11L
#1	CFM-Blk-1100-6-lined	CFW-Blk-1500-6-lined	CCAP 0750-RL	CRDW-1-48	CRLS-1-36	CMTK 13V	CMTK 11L
1/0	CFM-Blk-1100-6-lined	CFW-Blk-1500-6-lined	CCAP 0750-RL	CRDW-1-48	CRLS-1-36	CMTK 13V	CMTK 11L
2/0	CFM-Blk-1100-6-lined	CFW-Blk-1500-6-lined	CCAP 0750-RL	CRDW-1-48	CRLS-1-36	CMTK 13V	CMTK 11L
3/0	CFM-Blk-1100-6-lined	CFW-Blk-1500-6-lined	CCAP 0750-RL	CRDW-1-48	CRLS-2-36	CMTK 13V	CMTK 11L
4/0	CFM-Blk-1100-6-lined	CFW-Blk-1500-6-lined	CCAP 0750-RL	CRDW-1-48	CRLS-2-36	CMTK 13V	CMTK 11L
250	CFM-Blk-1700-6-lined	CFW-Blk-2000-6-lined	CCAP 1100-RL	CRDW-1-48	CRLS-2-36	CMTK 14V	CMTK 12L
300	CFM-Blk-1700-6-lined	CFW-Blk-2000-6-lined	CCAP 1100-RL	CRDW-1-48	CRLS-2-36	CMTK 14V	CMTK 12L
350	CFM-Blk-1700-6-lined	CFW-Blk-2000-6-lined	CCAP 1100-RL	CRDW-1-48	CRLS-2-36	CMTK 14V	CMTK 12L
400	CFM-Blk-1700-6-lined	CFW-Blk-2000-6-lined	CCAP 1100-RL	CRDW-1-48	CRLS-2-36	CMTK 14V	CMTK 12L
500	CFM-Blk-1700-6-lined	CFW-Blk-2700-6-lined	CCAP 1100-RL	CRDW-1-48	CRLS-3-36	CMTK 14V	CMTK 12L
600	CFM-Blk-2050-6-lined	CFW-Blk-2700-6-lined	CCAP 1500-RL	CRDW-2-48	CRLS-3-36	Not Available	CMTK 12L
750	CFM-Blk-2050-6-lined	CFW-Blk-2700-6-lined	CCAP 1500-RL	CRDW-2-48	CRLS-3-36	Not Available	CMTK 12L
1000	CFM-Blk-2050-6-lined	CFW-Blk-2700-6-lined	CCAP 1500-RL	CRDW-2-48	CRLS-3-36	Not Available	CMTK 12L

*The CFM and CFW tubing lengths should be purchased in 48 in lengths and cut to the length shown. For example: for a #2 butt splice less than 4 in long, you would cut eight, 6 in pieces.

1/C, 5 kV UNSHIELDED - 90 - 115 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATION INDOOR OR OUTDOOR	STRAIGHT SPLICE WITH TUBE	END CAP	JACKET REPAIR SLEEVE		MOTOR CONNECTION KIT	
				RAILED	RAILESS	STUB TYPE	IN-LINE TYPE
#8	CT 51N	CJ N51	CCAP 0750-RL	Not Applicable	CRLS-1-36	CMTK 51V	CMTK 51L
#6	CT 51N	CJ N51	CCAP 0750-RL	Not Applicable	CRLS-1-36	CMTK 51V	CMTK 51L
#4	CT 51N	CJ N51	CCAP 0750-RL	Not Applicable	CRLS-1-36	CMTK 51V	CMTK 51L
#2	CT 51N	CJ N51	CCAP 0750-RL	Not Applicable	CRLS-1-36	CMTK 51V	CMTK 51L
#1	CT 51N	CJ N51	CCAP 0750-RL	Not Applicable	CRLS-1-36	CMTK 52V	CMTK 51L
1/0	CT 51N	CJ N51	CCAP 0750-RL	Not Applicable	CRLS-1-36	CMTK 52V	CMTK 51L
2/0	CT 51N	CJ N51	CCAP 1500-RL	Not Applicable	CRLS-1-36	CMTK 52V	CMTK 51L
3/0	CT 52N	CJ N52	CCAP 1500-RL	Not Applicable	CRLS-2-36	CMTK 52V	CMTK 51L
4/0	CT 52N	CJ N52	CCAP 1500-RL	Not Applicable	CRLS-2-36	CMTK 52V	CMTK 51L
250	CT 52N	CJ N52	CCAP 1500-RL	Not Applicable	CRLS-2-36	CMTK 52V	CMTK 51L
300	CT 52N	CJ N52	CCAP 1500-RL	Not Applicable	CRLS-2-36	CMTK 53V	CMTK 52L
350	CT 52N	CJ N52	CCAP 1500-RL	Not Applicable	CRLS-2-36	CMTK 53V	CMTK 52L
400	CT 52N	CJ N53	CCAP 1500-RL	Not Applicable	CRLS-2-36	CMTK 53V	CMTK 52L
500	CT 52N	CJ N53	CCAP 2050-RL	Not Applicable	CRLS-3-36	CMTK 53V	CMTK 52L
600	CT 53N	CJ N53	CCAP 2050-RL	Not Applicable	CRLS-3-36	CMTK 53V	CMTK 52L
750	CT 53N	CJ N53	CCAP 2050-RL	Not Applicable	CRLS-3-36	CMTK 53V	CMTK 52L
1000	CT 53N	CJ N53	CCAP 2050-RL	Not Applicable	CRLS-3-36	CMTK 53V	CMTK 52L

1/C, 5 kV SHIELDED CABLES - COPPER TAPE, GROUNDED 90 MILS OR UNGROUNDED 115 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATIONS		ELBOW SEAL KIT	STRAIGHT JOINTS		END CAP	JACKET REPAIR SLEEVES		MOTOR CONNECTION KITS	
	INDOOR	OUTDOOR		W/TUBE	W/WRAP-AROUND		RAILED	RAILESS	STUB TYPE	IN-LINE TYPE
#8	CT 081G	CT 081EG	CESK 1G	CJ 821	CJ 821W	CCAP 1100-RL	CDRW-1-48	CRLS-1-36	CMTK 51V	CMTK 51L
#6	CT 081G	CT 081EG	CESK 1G	CJ 821	CJ 821W	CCAP 1100-RL	CDRW-1-48	CRLS-1-36	CMTK 51V	CMTK 51L
#4	CT 081G	CT 081EG	CESK 1G	CJ 821	CJ 821W	CCAP 1100-RL	CDRW-1-48	CRLS-1-36	CMTK 51V	CMTK 51L
#2	CT 081G	CT 081EG	CESK 1G	CJ 821	CJ 821W	CCAP 1100-RL	CDRW-1-48	CRLS-1-36	CMTK 51V	CMTK 51L
#1	CT 081G	CT 081EG	CESK 1G	CJ 821	CJ 821W	CCAP 1100-RL	CDRW-1-48	CRLS-1-36	CMTK 52V	CMTK 51L
1/0	CT 082G	CT 082EG	CESK 1G	CJ 821	CJ 821W	CCAP 1100-RL	CDRW-1-48	CRLS-1-36	CMTK 52V	CMTK 51L
2/0	CT 082G	CT 082EG	CESK 1G	CJ 821	CJ 821W	CCAP 1100-RL	CDRW-1-48	CRLS-2-36	CMTK 52V	CMTK 51L
3/0	CT 082G	CT 082EG	CESK 1G	CJ 822	CJ 822W	CCAP 1500-RL	CDRW-1-48	CRLS-2-36	CMTK 52V	CMTK 51L
4/0	CT 082G	CT 082EG	CESK 1G	CJ 822	CJ 822W	CCAP 1500-RL	CDRW-1-48	CRLS-2-36	CMTK 52V	CMTK 51L
250	CT 082G	CT 082EG	CESK 1G	CJ 822	CJ 822W	CCAP 1500-RL	CDRW-1-48	CRLS-2-36	CMTK 52V	CMTK 51L
300	CT 083G	CT 083EG	CESK 1G	CJ 822	CJ 822W	CCAP 1500-RL	CDRW-1-48	CRLS-2-36	CMTK 53V	CMTK 52L
350	CT 083G	CT 083EG	CESK 1G	CJ 823	CJ 823W	CCAP 1500-RL	CDRW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L
400	CT 083G	CT 083EG	CESK 1G	CJ 823	CJ 823W	CCAP 1500-RL	CDRW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L
500	CT 083G	CT 083EG	CESK 1G	CJ 823	CJ 823W	CCAP 2750-RL	CDRW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L
600	CT 084G	CT 084EG	CESK 2G	CJ 823	CJ 823W	CCAP 2750-RL	CDRW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L
750	CT 084G	CT 084EG	CESK 2G	CJ 823	CJ 823W	CCAP 2750-RL	CDRW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L
1000	CT 084G	CT 084EG	CESK 2G	CJ 824	CJ 824W	CCAP 2750-RL	CDRW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L

1/C, 5 kV SHIELDED CABLES - DRAIN WIRE, GROUNDED 90 MILS OR UNGROUNDED 115 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATION		ELBOW SEAL KIT	STRAIGHT JOINT		END CAP	JACKET REPAIR SLEEVE		MOTOR CONNECTION KITS	
	INDOOR	OUTDOOR		W/TUBE	W/WRAP-AROUND		RAILED	RAILESS	STUB TYPE	IN-LINE TYPE
#8	CT 081	CT 081E	CESK 1	CJ 821	CJ 821W	CCAP 1100-RL	CRDW-1-48	CRLS-1-36	CMTK 51V	CMTK 51L
#6	CT 081	CT 081E	CESK 1	CJ 821	CJ 821W	CCAP 1100-RL	CRDW-1-48	CRLS-1-36	CMTK 51V	CMTK 51L
#4	CT 081	CT 081E	CESK 1	CJ 821	CJ 821W	CCAP 1100-RL	CRDW-1-48	CRLS-1-36	CMTK 51V	CMTK 51L
#2	CT 081	CT 081E	CESK 1	CJ 821	CJ 821W	CCAP 1100-RL	CRDW-1-48	CRLS-1-36	CMTK 51V	CMTK 51L
#1	CT 081	CT 081E	CESK 1	CJ 821	CJ 821W	CCAP 1100-RL	CRDW-1-48	CRLS-1-36	CMTK 52V	CMTK 51L
1/0	CT 082	CT 082E	CESK 1	CJ 821	CJ 821W	CCAP 1100-RL	CRDW-1-48	CRLS-1-36	CMTK 52V	CMTK 51L
2/0	CT 082	CT 082E	CESK 1	CJ 821	CJ 821W	CCAP 1100-RL	CRDW-1-48	CRLS-2-36	CMTK 52V	CMTK 51L
3/0	CT 082	CT 082E	CESK 1	CJ 822	CJ 822W	CCAP 1500-RL	CRDW-1-48	CRLS-2-36	CMTK 52V	CMTK 51L
4/0	CT 082	CT 082E	CESK 1	CJ 822	CJ 822W	CCAP 1500-RL	CRDW-1-48	CRLS-2-36	CMTK 52V	CMTK 51L
250	CT 082	CT 082E	CESK 1	CJ 822	CJ 822W	CCAP 1500-RL	CRDW-1-48	CRLS-2-36	CMTK 52V	CMTK 51L
300	CT 083	CT 083E	CESK 1	CJ 822	CJ 822W	CCAP 1500-RL	CRDW-1-48	CRLS-2-36	CMTK 53V	CMTK 52L
350	CT 083	CT 083E	CESK 1	CJ 823	CJ 823W	CCAP 1500-RL	CRDW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L
400	CT 083	CT 083E	CESK 1	CJ 823	CJ 823W	CCAP 1500-RL	CRDW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L
500	CT 083	CT 083E	CESK 1	CJ 823	CJ 823W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L
600	CT 084	CT 084E	CESK 2	CJ 823	CJ 823W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L
750	CT 084	CT 084E	CESK 2	CJ 823	CJ 823W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L
1000	CT 084	CT 084E	CESK 2	CJ 824	CJ 824W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L

1/C, 5 kV SHIELDED CABLES - UNISHIELD[®], 8 kV GROUNDED OR 5 kV UNGROUNDED 115 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATIONS		ELBOW SEAL KIT	STRAIGHT JOINTS		END CAP	JACKET REPAIR SLEEVES		MOTOR CONNECTION KITS	
	INDOOR	OUTDOOR		w/TUBE	w/WRAP-AROUND		RAILED	RAILESS	STUB TYPE	IN-LINE TYPE
#8	CT 081	CT 081E	CESK 1	CJ 821	CJ 821W	CCAP 1100-RL	CDRW-1-48	CRLS-1-36	CMTK 51V	CMTK 51L
#6	CT 081	CT 081E	CESK 1	CJ 821	CJ 821W	CCAP 1100-RL	CDRW-1-48	CRLS-1-36	CMTK 51V	CMTK 51L
#4	CT 081	CT 081E	CESK 1	CJ 821	CJ 821W	CCAP 1100-RL	CDRW-1-48	CRLS-1-36	CMTK 51V	CMTK 51L
#2	CT 081	CT 081E	CESK 1	CJ 821	CJ 821W	CCAP 1100-RL	CDRW-1-48	CRLS-1-36	CMTK 51V	CMTK 51L
#1	CT 081	CT 081E	CESK 1	CJ 821	CJ 821W	CCAP 1100-RL	CDRW-1-48	CRLS-1-36	CMTK 52V	CMTK 51L
1/0	CT 082	CT 082E	CESK 1	CJ 821	CJ 821W	CCAP 1100-RL	CDRW-1-48	CRLS-1-36	CMTK 52V	CMTK 51L
2/0	CT 082	CT 082E	CESK 1	CJ 821	CJ 821W	CCAP 1100-RL	CDRW-1-48	CRLS-1-36	CMTK 52V	CMTK 51L
3/0	CT 082	CT 082E	CESK 1	CJ 822	CJ 822W	CCAP 1100-RL	CDRW-1-48	CRLS-2-36	CMTK 52V	CMTK 51L
4/0	CT 082	CT 082E	CESK 1	CJ 822	CJ 822W	CCAP 1500-RL	CDRW-1-48	CRLS-2-36	CMTK 52V	CMTK 51L
250	CT 082	CT 082E	CESK 1	CJ 822	CJ 822W	CCAP 1500-RL	CDRW-1-48	CRLS-2-36	CMTK 52V	CMTK 51L
300	CT 083	CT 083E	CESK 1	CJ 822	CJ 822W	CCAP 1500-RL	CDRW-1-48	CRLS-2-36	CMTK 53V	CMTK 52L
350	CT 083	CT 083E	CESK 1	CJ 823	CJ 823W	CCAP 1500-RL	CDRW-1-48	CRLS-2-36	CMTK 53V	CMTK 52L
400	CT 083	CT 083E	CESK 1	CJ 823	CJ 823W	CCAP 1500-RL	CDRW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L
500	CT 083	CT 083E	CESK 1	CJ 823	CJ 823W	CCAP 2750-RL	CDRW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L
600	CT 084	CT 084E	CESK 2	CJ 823	CJ 823W	CCAP 2750-RL	CDRW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L
750	CT 084	CT 084E	CESK 2	CJ 823	CJ 823W	CCAP 2750-RL	CDRW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L
1000	CT 084	CT 084E	CESK 2	CJ 824	CJ 824W	CCAP 2750-RL	CDRW-2-48	CRLS-3-36	CMTK 53V	CMTK 52L

1/C, 15 kV SHIELDED CABLES - COPPER TAPE, GROUNDED 175 MILS OR UNGROUNDED 220 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATIONS		ELBOW SEAL KIT	STRAIGHT JOINTS		END CAP	JACKET REPAIR SLEEVES	
	INDOOR	OUTDOOR		W/TUBE	W/WRAP-AROUND		RAILED	RAILESS
#4	CT 151G	CT 151EG	CESK 1G	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
#2	CT 151G	CT 151EG	CESK 1G	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
#1	CT 151G	CT 151EG	CESK 1G	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
1/0	CT 151G	CT 151EG	CESK 1G	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
2/0	CT 151G	CT 151EG	CESK 1G	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
3/0	CT 151G	CT 151EG	CESK 1G	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-2-48	CRLS-3-36
4/0	CT 151G	CT 151EG	CESK 1G	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-2-48	CRLS-3-36
250	CT 152G	CT 152EG	CESK 1G	CJ 1522	CJ 1522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
300	CT 152G	CT 152EG	CESK 2G	CJ 1522	CJ 1522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
350	CT 152G	CT 152EG	CESK 2G	CJ 1522	CJ 1522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
400	CT 153G	CT 153EG	CESK 2G	CJ 1522	CJ 1522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
500	CT 153G	CT 153EG	CESK 2G	CJ 1523	CJ 1523W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
600	CT 153G	CT 153EG	CESK 2G	CJ 1523	CJ 1523W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
750	CT 153G	CT 153EG	CESK 2G	CJ 1523	CJ 1523W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
1000	CT 153G	CT 153EG	CESK 2G	CJ 1523	CJ 1524W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36

1/C, 15 kV SHIELDED CABLES - DRAIN WIRE, GROUNDED 175 MILS OR UNGROUNDED 220 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATION		ELBOW SEAL KIT	STRAIGHT JOINT		END CAP	JACKET REPAIR SLEEVE	
	INDOOR	OUTDOOR		W/TUBE	W/WRAP-AROUND		RAILED	RAILESS
#4	CT 151	CT 151E	CESK 1	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
#2	CT 151	CT 151E	CESK 1	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
#1	CT 151	CT 151E	CESK 1	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
1/0	CT 151	CT 151E	CESK 1	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
2/0	CT 151	CT 151E	CESK 1	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
3/0	CT 151	CT 151E	CESK 1	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-2-48	CRLS-3-36
4/0	CT 151	CT 151E	CESK 1	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-2-48	CRLS-3-36
250	CT 152	CT 152E	CESK 1	CJ 1522	CJ 1522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
300	CT 152	CT 152E	CESK 2	CJ 1522	CJ 1522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
350	CT 152	CT 152E	CESK 2	CJ 1522	CJ 1522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
400	CT 153	CT 153E	CESK 2	CJ 1522	CJ 1522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
500	CT 153	CT 153E	CESK 2	CJ 1523	CJ 15223W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
600	CT 153	CT 153E	CESK 2	CJ 1523	CJ 15223W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
750	CT 153	CT 153E	CESK 2	CJ 1523	CJ 15223W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
1000	CT 153	CT 153E	CESK 2	CJ 1524	CJ 1524W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36

1/C, 15 kV SHIELDED CABLES - UNISHIELD[®], GROUNDED 175 MILS OR UNGROUNDED 220 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATIONS		ELBOW SEAL KIT	STRAIGHT JOINTS		END CAP	JACKET REPAIR SLEEVES	
	INDOOR	OUTDOOR		W/TUBE	W/WRAP-AROUND		RAILED	RAILESS
#4	CT 151	CT 151E	CESK 1	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
#2	CT 151	CT 151E	CESK 1	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
#1	CT 151	CT 151E	CESK 1	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
1/0	CT 151	CT 151E	CESK 1	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
2/0	CT 151	CT 151E	CESK 1	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
3/0	CT 151	CT 151E	CESK 1	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
4/0	CT 151	CT 151E	CESK 1	CJ 1521	CJ 1521W	CCAP 1700-RL	CRDW-2-48	CRLS-3-36
250	CT 152	CT 152E	CESK 1	CJ 1522	CJ 1522W	CCAP 1700-RL	CRDW-2-48	CRLS-3-36
300	CT 152	CT 152E	CESK 2	CJ 1522	CJ 1522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
350	CT 152	CT 152E	CESK 2	CJ 1522	CJ 1522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
400	CT 153	CT 153E	CESK 2	CJ 1522	CJ 1522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
500	CT 153	CT 153E	CESK 2	CJ 1523	CJ 1523W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
600	CT 153	CT 153E	CESK 2	CJ 1523	CJ 1523W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
750	CT 153	CT 153E	CESK 2	CJ 1523	CJ 1523W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
1000	CT 153	CT 153E	CESK 2	CJ 1524	CJ 1524W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36

1/C, 15 kV SHIELDED CABLES - LC TYPE, GROUNDED 175 MILS OR UNGROUNDED 220 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATION		ELBOW SEAL KIT	STRAIGHT JOINT		END CAP	JACKET REPAIR SLEEVE	
	INDOOR	OUTDOOR		W/TUBE*	W/WRAP-AROUND		RAILED	RAILESS
#4	CT 151LC	CT 151LCE	CESK 1G	CJ 1531LCT	CJ 1531LC	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
#2	CT 151LC	CT 151LCE	CESK 1G	CJ 1531LCT	CJ 1531LC	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
#1	CT 151LC	CT 151LCE	CESK 1G	CJ 1531LCT	CJ 1531LC	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
1/0	CT 151LC	CT 151LCE	CESK 1G	CJ 1531LCT	CJ 1531LC	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
2/0	CT 151LC	CT 151LCE	CESK 1G	CJ 1531LCT	CJ 1531LC	CCAP 1700-RL	CRDW-1-48	CRLS-3-36
3/0	CT 152LC	CT 152LCE	CESK 1G	CJ 1532LCT	CJ 1532LC	CCAP 1700-RL	CRDW-2-48	CRLS-3-36
4/0	CT 152LC	CT 152LCE	CESK 1G	CJ 1532LCT	CJ 1532LC	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
250	CT 152LC	CT 152LCE	CESK 1G	CJ 1532LCT	CJ 1532LC	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
300	CT 152LC	CT 152LCE	CESK 2G	CJ 1532LCT	CJ 1532LC	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
350	CT 152LC	CT 152LCE	CESK 2G	CJ 1532LCT	CJ 1532LC	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
400	CT 153LC	CT 153LCE	CESK 2G	CJ 1532LCT	CJ 1532LC	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
500	CT 153LC	CT 153LCE	CESK 2G	CJ 1533LCT	CJ 1533LC	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
600	CT 153LC	CT 153LCE	CESK 2G	CJ 1533LCT	CJ 1533LC	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
750	CT 153LC	CT 153LCE	CESK 2G	CJ 1533LCT	CJ 1533LC	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
1000	CT 153LC	CT 153LCE	CESK 2G	CJ 1534LCT	CJ 1534LC	CCAP 2750-RL	CRDW-2-48	CRLS-3-36

*Special order

1/C, 15 kV SHIELDED CABLES - BARE CONCENTRIC NEUTRAL, GROUNDED 175 MILS OR UNGROUNDED 220 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATIONS		ELBOW SEAL KIT	STRAIGHT JOINTS NO JACKET	REPAIR JOINTS NO JACKET	END CAP	JACKET REPAIR SLEEVES	
	INDOOR	OUTDOOR					RAILED	RAILESS
#4	CT 151UD	CT 151 UDE	Not Applicable	CJ 1511	CJ R1511	CCAP 1700-RL	Not Applicable	Not Applicable
#2	CT 151UD	CT 151 UDE	Not Applicable	CJ 1511	CJ R1511	CCAP 1700-RL	Not Applicable	Not Applicable
#1	CT 151UD	CT 151 UDE	Not Applicable	CJ 1511	CJ R1511	CCAP 1700-RL	Not Applicable	Not Applicable
1/0	CT 151UD	CT 151 UDE	Not Applicable	CJ 1511	CJ R1511	CCAP 1700-RL	Not Applicable	Not Applicable
2/0	CT 151UD	CT 151 UDE	Not Applicable	CJ 1511	CJ R1511	CCAP 1700-RL	Not Applicable	Not Applicable
3/0	CT 151UD	CT 151 UDE	Not Applicable	CJ 1511	CJ R1511	CCAP 1700-RL	Not Applicable	Not Applicable
4/0	CT 151UD	CT 151 UDE	Not Applicable	CJ 1511	CJ R1511	CCAP 1700-RL	Not Applicable	Not Applicable
250	CT 152UD	CT 152 UDE	Not Applicable	CJ 1512	CJ R1512	CCAP 2750-RL	Not Applicable	Not Applicable
300	CT 152UD	CT 152 UDE	Not Applicable	CJ 1512	CJ R1512	CCAP 2750-RL	Not Applicable	Not Applicable
350	CT 152UD	CT 152UDE	Not Applicable	CJ 1512	CJ R1512	CCAP 2750-RL	Not Applicable	Not Applicable
400	CT 153UD	CT 153UDE	Not Applicable	CJ 1512	CJ R1512	CCAP 2750-RL	Not Applicable	Not Applicable
500	CT 153UD	CT 153UDE	Not Applicable	CJ 1513	CJ R1513	CCAP 2750-RL	Not Applicable	Not Applicable
600	CT 153UD	CT 153UDE	Not Applicable	CJ 1513	CJ R1513	CCAP 2750-RL	Not Applicable	Not Applicable
750	CT 153UD	CT 153UDE	Not Applicable	CJ 1513	CJ R1513	CCAP 2750-RL	Not Applicable	Not Applicable
1000	CT 153UD	CT 153UDE	Not Applicable	CJ 1514	CJ R1514	CCAP 2750-RL	Not Applicable	Not Applicable

1/C, 15 kV SHIELDED CABLES - JACKETED CONCENTRIC NEUTRAL, GROUNDED 175 MILS OR UNGROUNDED 220 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATION		ELBOW SEAL KIT	STRAIGHT JOINTS W/WRAP- AROUND	REPAIR JOINTS W/WRAP- AROUND	END CAP	JACKET REPAIR SLEEVE	
	INDOOR	OUTDOOR					RAILED	RAILESS
#4	CT 151UD	CT 151UDE	CESK 1	CJ 1511J	CJ R1511J	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
#2	CT 151UD	CT 151UDE	CESK 1	CJ 1511J	CJ R1511J	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
#1	CT 151UD	CT 151UDE	CESK 1	CJ 1511J	CJ R1511J	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
1/0	CT 151UD	CT 151UDE	CESK 1	CJ 1511J	CJ R1511J	CCAP 1700-RL	CRDW-1-48	CRLS-2-36
2/0	CT 151UD	CT 151UDE	CESK 1	CJ 1511J	CJ R1511J	CCAP 1700-RL	CRDW-1-48	CRLS-3-36
3/0	CT 152UD	CT 152UDE	CESK 1	CJ 1512J	CJ R1512J	CCAP 1700-RL	CRDW-2-48	CRLS-3-36
4/0	CT 152UD	CT 152UDE	CESK 1	CJ 1512J	CJ R1512J	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
250	CT 152UD	CT 152UDE	CESK 1	CJ 1512J	CJ R1512J	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
300	CT 152UD	CT 152UDE	CESK 2	CJ 1512J	CJ R1512J	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
350	CT 152UD	CT 152UDE	CESK 2	CJ 1512J	CJ R1512J	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
400	CT 153UD	CT 153UDE	CESK 2	CJ 1512J	CJ R1512J	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
500	CT 153UD	CT 153UDE	CESK 2	CJ 1513J	CJ R1513J	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
600	CT 153UD	CT 153UDE	CESK 2	CJ 1513J	CJ R1513J	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
750	CT 153UD	CT 153UDE	CESK 2	CJ 1513J	CJ R1513J	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
1000	CT 153UD	CT 153UDE	CESK 2	CJ 1514J	CJ R1514J	CCAP 2750-RL	CRDW-2-48	CRLS-3-36

1/C, 25 - 28 kV SHIELDED CABLES - COPPER TAPE, GROUNDED 260 - 280 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATIONS		ELBOW SEAL KIT	STRAIGHT JOINTS		END CAP	JACKET REPAIR SLEEVES	
	INDOOR	OUTDOOR		W/TUBE	W/WRAP-AROUND		RAILED	RAILESS
#1	CT 251G	CT 251EG	CESK 1G	CJ 2521	CJ 2521W	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
1/0	CT 251G	CT 251EG	CESK 1G	CJ 2521	CJ 2521W	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
2/0	CT 251G	CT 251EG	CESK 1G	CJ 2521	CJ 2521W	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
3/0	CT 251G	CT 251EG	CESK 1G	CJ 2521	CJ 2521W	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
4/0	CT 251G	CT 251EG	CESK 2G	CJ 2521	CJ 2521W	CCAP 2750-RL	CRDW-2-48	CRLS-2-36
250	CT 251G	CT 251EG	CESK 2G	CJ 2522	CJ 2522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
300	CT 251G	CT 251EG	CESK 2G	CJ 2522	CJ 2522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
350	CT 252G	CT 252EG	CESK 2G	CJ 2522	CJ 2522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
400	CT 252G	CT 252EG	CESK 2G	CJ 2522	CJ 2522W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
500	CT 252G	CT 252EG	CESK 2G	CJ 2522	CJ 2522W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
600	CT 252G	CT 252EG	CESK 2G	Not Available	CJ 2523W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
750	CT 252G	CT 252EG	CESK 2G	Not Available	CJ 2523W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
1000	CT 252G	CT 252EG	CESK 2G	Not Available	CJ 2523W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36

1/C, 25 - 28 kV SHIELDED CABLES - DRAIN WIRE, GROUNDED 260 - 280 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATION		ELBOW SEAL KIT	STRAIGHT JOINT		END CAP	JACKET REPAIR SLEEVE	
	INDOOR	OUTDOOR		W/TUBE	W/WRAP-AROUND		RAILED	RAILESS
#1	CT 251	CT 251E	CESK 1	CJ 2521	CJ 2521W	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
1/0	CT 251	CT 251E	CESK 1	CJ 2521	CJ 2521W	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
2/0	CT 251	CT 251E	CESK 1	CJ 2521	CJ 2521W	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
3/0	CT 251	CT 251E	CESK 1	CJ 2521	CJ 2521W	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
4/0	CT 251	CT 251E	CESK 2	CJ 2521	CJ 2521W	CCAP 2750-RL	CRDW-2-48	CRLS-2-36
250	CT 251	CT 251E	CESK 2	CJ 2522	CJ 2522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
300	CT 251	CT 251E	CESK 2	CJ 2522	CJ 2522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
350	CT 252	CT 252E	CESK 2	CJ 2522	CJ 2522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
400	CT 252	CT 252E	CESK 2	CJ 2522	CJ 2522W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
500	CT 252	CT 252E	CESK 2	CJ 2522	CJ 2522W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
600	CT 252	CT 252E	CESK 2	Not Available	CJ 2523W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
750	CT 252	CT 252E	CESK 2	Not Available	CJ 2523W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
1000	CT 252	CT 252E	CESK 2	Not Available	CJ 2523W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36

1/C, 25 - 28 kV SHIELDED CABLES - UNISHIELD® , GROUNDED 260 - 280 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATIONS		ELBOW SEAL KIT	STRAIGHT JOINTS		END CAP	JACKET REPAIR SLEEVES	
	INDOOR	OUTDOOR		W/TUBE	W/WRAP-AROUND		RAILED	RAILESS
#1	CT 251	CT 251E	CESK 1	CJ 2521	CJ 2521W	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
1/0	CT 251	CT 251E	CESK 1	CJ 2521	CJ 2521W	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
2/0	CT 251	CT 251E	CESK 1	CJ 2521	CJ 2521W	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
3/0	CT 251	CT 251E	CESK 1	CJ 2521	CJ 2521W	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
4/0	CT 251	CT 251E	CESK 2	CJ 2521	CJ 2521W	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
250	CT 251	CT 251E	CESK 2	CJ 2522	CJ 2522W	CCAP 2750-RL	CRDW-2-48	CRLS-2-36
300	CT 251	CT 251E	CESK 2	CJ 2522	CJ 2522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
350	CT 252	CT 252E	CESK 2	CJ 2522	CJ 2522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
400	CT 252	CT 252E	CESK 2	CJ 2522	CJ 2522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
500	CT 252	CT 252E	CESK 2	CJ 2522	CJ 2522W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
600	CT 252	CT 252E	CESK 2	Not Available	CJ 2523W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
750	CT 252	CT 252E	CESK 2	Not Available	CJ 2523W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
1000	CT 252	CT 252E	CESK 2	Not Available	CJ 2523W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36

1/C, 25 - 28 kV SHIELDED CABLES - LC TYPE, GROUNDED 260 - 280 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATION		ELBOW SEAL KIT	STRAIGHT JOINT		END CAP	JACKET REPAIR SLEEVE	
	INDOOR	OUTDOOR		W/TUBE*	W/WRAP-AROUND		RAILED	RAILESS
#1	CT 251LC	CT 251LCE	CESK 1	CJ 2531LCT	CJ 2531LC	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
1/0	CT 251LC	CT 251LCE	CESK 1	CJ 2531LCT	CJ 2531LC	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
2/0	CT 251LC	CT 251LCE	CESK 1	CJ 2531LCT	CJ 2531LC	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
3/0	CT 251LC	CT 251LCE	CESK 1	CJ 2531LCT	CJ 2531LC	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
4/0	CT 251LC	CT 251LCE	CESK 2	CJ 2531LCT	CJ 2531LC	CCAP 2750-RL	CRDW-2-48	CRLS-2-36
250	CT 251LC	CT 251LCE	CESK 2	CJ 2532LCT	CJ 2532LC	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
300	CT 251LC	CT 251LCE	CESK 2	CJ 2532LCT	CJ 2532LC	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
350	CT 252LC	CT252LCE	CESK 2	CJ 2532LCT	CJ 2532LC	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
400	CT 252LC	CT252LCE	CESK 2	CJ 2532LCT	CJ 2532LC	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
500	CT 252LC	CT252LCE	CESK 2	CJ 2532LCT	CJ 2532LC	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
600	CT 252LC	CT252LCE	CESK 2	Not Available	CJ 2533LC	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
750	CT 252LC	CT252LCE	CESK 2	Not Available	CJ 2533LC	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
1000	CT 252LC	CT252LCE	CESK 2	Not Available	CJ 2533LC	CCAP 2750-RL	CRDW-3-48	CRLS-3-36

*Special order

1/C, 25 - 28 kV SHIELDED CABLES - BARE CONCENTRIC NEUTRAL, GROUNDED

260 - 280 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATIONS		ELBOW SEAL KIT	STRAIGHT JOINTS NO JACKET	REPAIR JOINTS NO JACKET	END CAP	JACKET REPAIR SLEEVES	
	INDOOR	OUTDOOR					RAILED	RAILESS
#1	CT 251UD	CT 251UDE	Not Applicable	CJ 2511	CJ R2511	CCAP 1700-RL	Not Applicable	Not Applicable
1/0	CT 251UD	CT 251UDE	Not Applicable	CJ 2511	CJ R2511	CCAP 1700-RL	Not Applicable	Not Applicable
2/0	CT 251UD	CT 251UDE	Not Applicable	CJ 2511	CJ R2511	CCAP 1700-RL	Not Applicable	Not Applicable
3/0	CT 251UD	CT 251UDE	Not Applicable	CJ 2511	CJ R2511	CCAP 1700-RL	Not Applicable	Not Applicable
4/0	CT 251UD	CT 251UDE	Not Applicable	CJ 2511	CJ R2511	CCAP 2750-RL	Not Applicable	Not Applicable
250	CT 251UD	CT 251UDE	Not Applicable	CJ 2512	CJ R2512	CCAP 2750-RL	Not Applicable	Not Applicable
300	CT 251UD	CT 251UDE	Not Applicable	CJ 2512	CJ R2512	CCAP 2750-RL	Not Applicable	Not Applicable
350	CT 251UD	CT 251UDE	Not Applicable	CJ 2512	CJ R2512	CCAP 2750-RL	Not Applicable	Not Applicable
400	CT 252UD	CT 252UDE	Not Applicable	CJ 2512	CJ R2512	CCAP 2750-RL	Not Applicable	Not Applicable
500	CT 252UD	CT 252UDE	Not Applicable	CJ 2512	CJ R2513	CCAP 2750-RL	Not Applicable	Not Applicable
600	CT 252UD	CT 252UDE	Not Applicable	CJ 2513	CJ R2513	CCAP 2750-RL	Not Applicable	Not Applicable
750	CT 252UD	CT 252UDE	Not Applicable	CJ 2513	CJ R2513	CCAP 2750-RL	Not Applicable	Not Applicable
1000	CT 252UD	CT 252UDE	Not Applicable	CJ 2513	CJ R2513	CCAP 2750-RL	Not Applicable	Not Applicable

1/C, 25 - 28 kV SHIELDED CABLES - JACKETED CONCENTRIC NEUTRAL, GROUNDED

260 - 280 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATION		ELBOW SEAL KIT	STRAIGHT JOINTS W/WRAP- AROUND	REPAIR JOINTS W/WRAP- AROUND	END CAP	JACKET REPAIR SLEEVE	
	INDOOR	OUTDOOR					RAILED	RAILESS
#1	CT 251UD	CT 251UDE	CESK 1	CJ 2511J	CJ R2511J	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
1/0	CT 251UD	CT 251UDE	CESK 1	CJ 2511J	CJ R2511J	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
2/0	CT 251UD	CT 251UDE	CESK 1	CJ 2511J	CJ R2511J	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
3/0	CT 251UD	CT 251UDE	CESK 1	CJ 2511J	CJ R2511J	CCAP 1700-RL	CRDW-2-48	CRLS-2-36
4/0	CT 251UD	CT 251UDE	CESK 2	CJ 2511J	CJ 2512J	CCAP 2750-RL	CRDW-2-48	CRLS-2-36
250	CT 251UD	CT 251UDE	CESK 2	CJ 2512J	CJ 2512J	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
300	CT 251UD	CT 251UDE	CESK 2	CJ 2512J	CJ 2512J	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
350	CT 252UD	CT 252UDE	CESK 2	CJ 2512J	CJ 2512J	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
400	CT 252UD	CT 252UDE	CESK 2	CJ 2512J	CJ 2512J	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
500	CT 252UD	CT 252UDE	CESK 2	CJ 2512J	Special Order	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
600	CT 252UD	CT 252UDE	CESK 2	CJ 2513J	Special Order	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
750	CT 252UD	CT 252UDE	CESK 2	CJ 2513J	Special Order	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
1000	CT 252UD	CT 252UDE	CESK 2	CJ 2513J	Special Order	CCAP 2750-RL	CRDW-3-48	CRLS-3-36

1/C, 35 kV SHIELDED CABLES - COPPER TAPE, GROUNDED 345 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATIONS		ELBOW SEAL KIT	STRAIGHT JOINTS		END CAP	JACKET REPAIR SLEEVES	
	INDOOR	OUTDOOR		W/TUBE	W/WRAP-AROUND		RAILED	RAILESS
#1	CT 351G	CT 351EG	CESK 2G	Not Available	CJ 3521	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
1/0	CT 351G	CT 351EG	CESK 2G	Not Available	CJ 3521	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
2/0	CT 351G	CT 351EG	CESK 2G	Not Available	CJ 3521	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
3/0	CT 351G	CT 351EG	CESK 2G	Not Available	CJ 3521	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
4/0	CT 351G	CT 351EG	CESK 2G	Not Available	CJ 3521	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
250	CT 352G	CT 352EG	CESK 2G	Not Available	CJ 3522	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
300	CT 352G	CT 352EG	CESK 2G	Not Available	CJ 3522	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
350	CT 352G	CT 352EG	CESK 2G	Not Available	CJ 3522	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
400	CT 352G	CT 352EG	CESK 2G	Not Available	CJ 3522	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
500	CT 352G	CT 352EG	CESK 2G	Not Available	CJ 3522	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
600	CT 352G	CT 352EG	CESK 2G	Not Available	CJ 3523	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
750	CT 352G	CT 352EG	CESK 2G	Not Available	CJ 3523	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
1000	CT 352G	CT 352EG	CESK 2G	Not Available	CJ 3523	CCAP 2750-RL	CRDW-3-48	CRLS-3-36

1/C, 35 kV SHIELDED CABLES - DRAIN WIRE, GROUNDED 345 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATION		ELBOW SEAL KIT	STRAIGHT JOINT		END CAP	JACKET REPAIR SLEEVE	
	INDOOR	OUTDOOR		W/TUBE	W/WRAP-AROUND		RAILED	RAILESS
#1	CT 351	CT 351E	CESK 2	Not Available	CJ 3521W	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
1/0	CT 351	CT 351E	CESK 2	Not Available	CJ 3521W	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
2/0	CT 351	CT 351E	CESK 2	Not Available	CJ 3521W	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
3/0	CT 351	CT 351E	CESK 2	Not Available	CJ 3521W	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
4/0	CT 351	CT 351E	CESK 2	Not Available	CJ 3521W	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
250	CT 351	CT 351E	CESK 2	Not Available	CJ 3522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
300	CT 352	CT 352E	CESK 2	Not Available	CJ 3522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
350	CT 352	CT 352E	CESK 2	Not Available	CJ 3522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
400	CT 352	CT 352E	CESK 2	Not Available	CJ 3522W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
500	CT 352	CT 352E	CESK 2	Not Available	CJ 3522W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
600	CT 352	CT 352E	CESK 2	Not Available	CJ 3523W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
750	CT 352	CT 352E	CESK 2	Not Available	CJ 3523W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
1000	CT 352	CT 352E	CESK 2	Not Available	CJ 3523W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36

1/C, 35 kV SHIELDED CABLES - UNISHIELD[®], GROUNDED 345 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATIONS		ELBOW SEAL KIT	STRAIGHT JOINTS		END CAP	JACKET REPAIR SLEEVES	
	INDOOR	OUTDOOR		W/TUBE	W/WRAP-AROUND		RAILED	RAILESS
#1	CT 351	CT 351E	CESK 2	Not Available	CJ 3521W	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
1/0	CT 351	CT 351E	CESK 2	Not Available	CJ 3521W	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
2/0	CT 351	CT 351E	CESK 2	Not Available	CJ 3521W	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
3/0	CT 351	CT 351E	CESK 2	Not Available	CJ 3521W	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
4/0	CT 351	CT 351E	CESK 2	Not Available	CJ 3521W	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
250	CT 351	CT 351E	CESK 2	Not Available	CJ 3521W	CCAP 2750-RL	CRDW-2-48	CRLS-2-36
300	CT 352	CT 352E	CESK 2	Not Available	CJ 3522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
350	CT 352	CT 352E	CESK 2	Not Available	CJ 3522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
400	CT 352	CT 352E	CESK 2	Not Available	CJ 3522W	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
500	CT 352	CT 352E	CESK 2	Not Available	CJ 3522W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
600	CT 352	CT 352E	CESK 2	Not Available	CJ 3523W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
750	CT 352	CT 352E	CESK 2	Not Available	CJ 3523W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
1000	CT 352	CT 352E	CESK 2	Not Available	CJ 3523W	CCAP 2750-RL	CRDW-3-48	CRLS-3-36

1/C, 35 kV SHIELDED CABLES - LC TYPE, GROUNDED 345 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATION		ELBOW SEAL KIT	STRAIGHT JOINT		END CAP	JACKET REPAIR SLEEVE	
	INDOOR	OUTDOOR		W/TUBE*	W/WRAP-AROUND		RAILED	RAILESS
#1	CT 351LC	CT 351LCE	CESK 2	CJ 3531LCT	CJ 3531LC	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
1/0	CT 351LC	CT 351LCE	CESK 2	CJ 3531LCT	CJ 3531LC	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
2/0	CT 351LC	CT 351LCE	CESK 2	CJ 3531LCT	CJ 3531LC	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
3/0	CT 351LC	CT 351LCE	CESK 2	CJ 3531LCT	CJ 3531LC	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
4/0	CT 351LC	CT 351LCE	CESK 2	CJ 3531LCT	CJ 3531LC	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
250	CT 352LC	CT 352LCE	CESK 2	Not Available	CJ 3532LC	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
300	CT 352LC	CT 352LCE	CESK 2	Not Available	CJ 3532LC	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
350	CT 352LC	CT 352LCE	CESK 2	Not Available	CJ 3532LC	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
400	CT 352LC	CT 352LCE	CESK 2	Not Available	CJ 3532LC	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
500	CT 352LC	CT 352LCE	CESK 2	Not Available	CJ 3532LC	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
600	CT 352LC	CT 352LCE	CESK 2	Not Available	CJ 3533LC	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
750	CT 352LC	CT 352LCE	CESK 2	Not Available	CJ 3533LC	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
1000	CT 352LC	CT 352LCE	CESK 2	Not Available	CJ 3533LC	CCAP 2750-RL	CRDW-3-48	CRLS-3-36

*Special order

1/C, 35 kV SHIELDED CABLES - BARE CONCENTRIC NEUTRAL, GROUNDED 345 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATIONS		ELBOW SEAL KIT	STRAIGHT JOINTS NO JACKET	REPAIR JOINTS NO JACKET	END CAP	JACKET REPAIR SLEEVES	
	INDOOR	OUTDOOR					RAILED	RAILESS
#1	CT 351UD	CT 351UDE	Not Applicable	CJ 3511	CJ R3511	CCAP 2050-RL	Not Applicable	Not Applicable
1/0	CT 351UD	CT 351UDE	Not Applicable	CJ 3511	CJ R3511	CCAP 2050-RL	Not Applicable	Not Applicable
2/0	CT 351UD	CT 351UDE	Not Applicable	CJ 3511	CJ R3511	CCAP 2050-RL	Not Applicable	Not Applicable
3/0	CT 351UD	CT 351UDE	Not Applicable	CJ 3511	CJ R3511	CCAP 2050-RL	Not Applicable	Not Applicable
4/0	CT 351UD	CT 351UDE	Not Applicable	CJ 3511	CJ R3511	CCAP 2050-RL	Not Applicable	Not Applicable
250	CT 351UD	CT 351UDE	Not Applicable	CJ 3512	CJ R3512	CCAP 2750-RL	Not Applicable	Not Applicable
300	CT 352UD	CT 352UDE	Not Applicable	CJ 3512	CJ R3512	CCAP 2750-RL	Not Applicable	Not Applicable
350	CT 352UD	CT 352UDE	Not Applicable	CJ 3512	CJ R3512	CCAP 2750-RL	Not Applicable	Not Applicable
400	CT 352UD	CT 352UDE	Not Applicable	CJ 3512	CJ R3512	CCAP 2750-RL	Not Applicable	Not Applicable
500	CT 352UD	CT 352UDE	Not Applicable	CJ 3512	CJ R3512	CCAP 2750-RL	Not Applicable	Not Applicable
600	CT 352UD	CT 352UDE	Not Applicable	CJ 3513	CJ R3513	CCAP 2750-RL	Not Applicable	Not Applicable
750	CT 352UD	CT 352UDE	Not Applicable	CJ 3513	CJ R3513	CCAP 2750-RL	Not Applicable	Not Applicable
1000	CT 352UD	CT 352UDE	Not Applicable	CJ 3513	CJ R3513	CCAP 2750-RL	Not Applicable	Not Applicable

1/C, 35 kV SHIELDED CABLES - JACKETED CONCENTRIC NEUTRAL, GROUNDED 345 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATION		ELBOW SEAL KIT	STRAIGHT JOINTS w/WRAP- AROUND	REPAIR JOINTS w/WRAP- AROUND	END CAP	JACKET REPAIR SLEEVE	
	INDOOR	OUTDOOR					RAILED	RAILESS
#1	CT 351UD	CT 351UDE	CESK 2	CJ 3511J	Special Order	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
1/0	CT 351UD	CT 351UDE	CESK 2	CJ 3511J	Special Order	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
2/0	CT 351UD	CT 351UDE	CESK 2	CJ 3511J	Special Order	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
3/0	CT 351UD	CT 351UDE	CESK 2	CJ 3511J	Special Order	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
4/0	CT 351UD	CT 351UDE	CESK 2	CJ 3511J	Special Order	CCAP 2050-RL	CRDW-2-48	CRLS-2-36
250	CT 352UD	CT 352UDE	CESK 2	CJ 3512J	Special Order	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
300	CT 352UD	CT 352UDE	CESK 2	CJ 3512J	Special Order	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
350	CT 352UD	CT 352UDE	CESK 2	CJ 3512J	Special Order	CCAP 2750-RL	CRDW-2-48	CRLS-3-36
400	CT 352UD	CT 352UDE	CESK 2	CJ 3512J	Special Order	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
500	CT 352UD	CT 352UDE	CESK 2	CJ 3512J	Special Order	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
600	CT 352UD	CT 352UDE	CESK 2	CJ3513J	Special Order	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
750	CT 352UD	CT 352UDE	CESK 2	CJ3513J	Special Order	CCAP 2750-RL	CRDW-3-48	CRLS-3-36
1000	CT 352UD	CT 352UDE	CESK 2	CJ3513J	Special Order	CCAP 2750-RL	CRDW-3-48	CRLS-3-36

3/C, 600 V - 1 kV CABLES - XLP, EPR/PVC OR EPR/CSPE

CONDUCTOR SIZE	LUG SEAL*	SEALING BOOT	STRAIGHT SPLICES**	OVERALL SLEEVE	END CAP	JACKET REPAIR SLEEVES		MOTOR CONNECTION KITS	
	3 EACH	PLUS 1	3 EACH	PLUS 1		RAILED	RAILESS	STUB TYPE	IN-LINE TYPE
#8	CFM-0750-6	CCB-0150	CFW-0500-6	CRDW-2-24	CCAP 1700-RL	CRDW-2-48	CRLS-2-36	CMTK 12V	CMTK 11L
#6	CFM-0750-6	CCB-0150	CFW-0500-6	CRDW-2-24	CCAP 1700-RL	CRDW-2-48	CRLS-2-36	CMTK 12V	CMTK 11L
#4	CFM-0750-6	CCB-0150	CFW-1100-6	CRDW-2-24	CCAP 1700-RL	CRDW-2-48	CRLS-2-36	CMTK 12V	CMTK 11L
#2	CFM-1100-6	CCB-0220	CFW-1100-6	CRDW-2-24	CCAP 1700-RL	CRDW-2-48	CRLS-2-36	CMTK 12V	CMTK 11L
#1	CFM-1100-6	CCB-0220	CFW-1500-8	CRDW-3-36	CCAP 1700-RL	CRDW-2-48	CRLS-2-36	CMTK 13V	CMTK 11L
1/0	CFM-1100-6	CCB-0220	CFW-1500-8	CRDW-3-36	CCAP 2050-RL	CRDW-2-48	CRLS-3-36	CMTK 13V	CMTK 11L
2/0	CFM-1100-6	CCB-0220	CFW-1500-8	CRDW-3-36	CCAP 2050-RL	CRDW-2-48	CRLS-3-36	CMTK 13V	CMTK 11L
3/0	CFM-1100-6	CCB-0220	CFW-1500-8	CRDW-3-36	CCAP 2050-RL	CRDW-2-48	CRLS-3-36	CMTK 13V	CMTK 11L
4/0	CFM-1100-6	CCB-0350	CFW-1500-8	CRDW-3-36	CCAP 2050-RL	CRDW-2-48	CRLS-3-36	CMTK 13V	CMTK 11L
250	CFM-1700-6	CCB-0350	CFW-2000-12	CRDW-4-48	CCAP 3500-RL	CRDW-3-48	CRLS-3-36	CMTK 14V	CMTK 12L
300	CFM-1700-6	CCB-0350	CFW-2000-12	CRDW-4-48	CCAP 3500-RL	CRDW-3-48	CRLS-3-36	CMTK 14V	CMTK 12L
350	CFM-1700-6	CCB-0350	CFW-2000-12	CRDW-4-48	CCAP 3500-RL	CRDW-3-48	CRLS-3-36	CMTK 14V	CMTK 12L
400	CFM-1700-6	CCB-0430	CFW-2000-12	CRDW-4-48	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 14V	CMTK 12L
500	CFM-1700-6	CCB-0430	CFW-2700-12	CRDW-4-48	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 14V	CMTK 12L
600	CFM-2050-6	CCB-0430	CFW-2700-12	CRDW-4-48	CCAP 4700-RL	CRDW-3-48	CRLS-4-36	Not Available	CMTK 12L
750	CFM-2050-6	CCB-0430	CFW-2700-12	CRDW-4-48	CCAP 4700-RL	CRDW-3-48	CRLS-4-36	Not Available	CMTK 12L
1000	CFM-2050-6	CCB-0430	CFW-2700-12	CRDW-4-48	CCAP 4700-RL	CRDW-4-48	CRLS-5-36	Not Available	CMTK 12L

3/C, ARMoured 600 V CABLES - XLP, EPR/PVC OR EPR/CSPE

CONDUCTOR SIZE	LUG SEAL*	SEALING BOOT	STRAIGHT SPLICES	END CAP	JACKET REPAIR SLEEVES		MOTOR CONNECTION KITS	
	3 EACH	PLUS 1			RAILED	RAILESS	STUB TYPE	IN-LINE TYPE
#8	CFM-0750-6	CCB-0150	Not Available; Consult Factory	CCAP 1700-RL	CRDW-2-48	CRLS-2-36	CMTK 12V	CMTK 11L
#6	CFM-0750-6	CCB-0150	Not Available; Consult Factory	CCAP 1700-RL	CRDW-2-48	CRLS-2-36	CMTK 12V	CMTK 11L
#4	CFM-0750-6	CCB-0150	Not Available; Consult Factory	CCAP 1700-RL	CRDW-2-48	CRLS-2-36	CMTK 12V	CMTK 11L
#2	CFM-1100-6	CCB-0220	Not Available; Consult Factory	CCAP 1700-RL	CRDW-2-48	CRLS-2-36	CMTK 12V	CMTK 11L
#1	CFM-1100-6	CCB-0220	Not Available; Consult Factory	CCAP 1700-RL	CRDW-2-48	CRLS-2-36	CMTK 13V	CMTK 11L
1/0	CFM-1100-6	CCB-0220	Not Available; Consult Factory	CCAP 2050-RL	CRDW-2-48	CRLS-3-36	CMTK 13V	CMTK 11L
2/0	CFM-1100-6	CCB-0220	Not Available; Consult Factory	CCAP 2050-RL	CRDW-2-48	CRLS-3-36	CMTK 13V	CMTK 11L
3/0	CFM-1100-6	CCB-0220	Not Available; Consult Factory	CCAP 2050-RL	CRDW-2-48	CRLS-3-36	CMTK 13V	CMTK 11L
4/0	CFM-1100-6	CCB-0350	Not Available; Consult Factory	CCAP 2050-RL	CRDW-2-48	CRLS-3-36	CMTK 13V	CMTK 11L
250	CFM-1700-6	CCB-0350	Not Available; Consult Factory	CCAP 3500-RL	CRDW-3-48	CRLS-3-36	CMTK 14V	CMTK 12L
300	CFM-1700-6	CCB-0350	Not Available; Consult Factory	CCAP 3500-RL	CRDW-3-48	CRLS-3-36	CMTK 14V	CMTK 12L
350	CFM-1700-6	CCB-0350	Not Available; Consult Factory	CCAP 3500-RL	CRDW-3-48	CRLS-3-36	CMTK 14V	CMTK 12L
400	CFM-1700-6	CCB-0430	Not Available; Consult Factory	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 14V	CMTK 12L
500	CFM-1700-6	CCB-0430	Not Available; Consult Factory	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 14V	CMTK 12L
600	CFM-2050-6	CCB-0430	Not Available; Consult Factory	CCAP 4700-RL	CRDW-3-48	CRLS-4-36	Not Available	CMTK 12L
750	CFM-2050-6	CCB-0430	Not Available; Consult Factory	CCAP 4700-RL	CRDW-3-48	CRLS-4-36	Not Available	CMTK 12L
1000	CFM-2050-6	CCB-0430	Not Available; Consult Factory	CCAP 4700-RL	CRDW-4-48	CRLS-5-36	Not Available	CMTK 12L

*CFM tubing lengths are purchased in 48 in lengths and cut to the length shown, e.g. for two each 2/0 terminal lug seals, you would cut six each 6 in pieces. Buy a CFM-Black-1100-48 and field cut six each, six inch pieces. Ground wires must be blocked and encapsulated in 2 in wide black sealant CTSB.

**The CFW tubing lengths are purchased in 48 in lengths and cut to the length shown, e.g. for a 2/0 butt splice less than 4 in long you would cut six 8 in pieces to make six splices. Buy a CFW-Black-1500-48 and field cut six each, eight inch pieces. The CRDW wraparound sleeve is used to seal from jacket to jacket across the overall three conductor cable. The maximum connector length is the tubing length less 4 in, i.e. 6 in long tubes can accommodate 4 in long connectors.

3/C, 5 kV UNSHIELDED CABLES - 90 - 115 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATION INDOOR OR OUTDOOR	STRAIGHT SPICE	END CAP	JACKET REPAIR SLEEVES		MOTOR CONNECTION KITS	
				RAILED	RAILESS	STUB TYPE	IN-LINE TYPE
#8	CT 51N3	CJ N351	CCAP 2050-RL	CRDW-2-48	CRLS-3-36	CMTK 51V	CMTK 51L
#6	CT 51N3	CJ N351	CCAP 2050-RL	CRDW-2-48	CRLS-3-36	CMTK 51V	CMTK 51L
#4	CT 51N3	CJ N351	CCAP 2050-RL	CRDW-2-48	CRLS-3-36	CMTK 51V	CMTK 51L
#2	CT 51N3	CJ N351	CCAP 2050-RL	CRDW-2-48	CRLS-3-36	CMTK 51V	CMTK 51L
#1	CT 51N3	CJ N351	CCAP 2050-RL	CRDW-2-48	CRLS-3-36	CMTK 52V	CMTK 51L
1/0	CT 51N3	CJ N351	CCAP 2050-RL	CRDW-2-48	CRLS-3-36	CMTK 52V	CMTK 51L
2/0	CT 51N3	CJ N351	CCAP 2750-RL	CRDW-2-48	CRLS-3-36	CMTK 52V	CMTK 51L
3/0	CT 52N3	CJ N352	CCAP 2750-RL	CRDW-3-48	CRLS-3-36	CMTK 52V	CMTK 51L
4/0	CT 52N3	CJ N352	CCAP 2750-RL	CRDW-3-48	CRLS-3-36	CMTK 52V	CMTK 51L
250	CT 52N3	CJ N352	CCAP 2750-RL	CRDW-3-48	CRLS-3-36	CMTK 52V	CMTK 51L
300	CT 52N3	CJ N352	CCAP 3500-RL	CRDW-3-48	CRLS-3-36	CMTK 53V	CMTK 52L
350	CT 52N3	CJ N352	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 53V	CMTK 52L
400	CT 52N3	CJ N353	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 53V	CMTK 52L
500	CT 52N3	CJ N353	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 53V	CMTK 52L
600	CT 53N3	CJ N353	CCAP 4700-RL	CRDW-3-48	CRLS-4-36	CMTK 53V	CMTK 52L
750	CT 53N3	CJ N353	CCAP 4700-RL	CRDW-4-48	CRLS-4-36	CMTK 53V	CMTK 52L
1000	CT 53N3	CJ N353	CCAP 4700-RL	CRDW-4-48	CRLS-4-36	CMTK 53V	CMTK 52L

3/C, ARMoured 5 kV UNSHIELDED CABLES - 90 - 115 MILS

CONDUCTOR SIZE	LIVEFRONT TERMINATION INDOOR OR OUTDOOR	STRAIGHT SPICE	END CAP	JACKET REPAIR SLEEVES		MOTOR CONNECTION KITS	
				RAILED	RAILESS	STUB TYPE	IN-LINE TYPE
#8	CT 51N3	CJ N3A51	CCAP 0750-RL	CRDW-3-48	CRLS-1-36	CMTK 51V	CMTK 51L
#6	CT 51N3	CJ N3A51	CCAP 0750-RL	CRDW-3-48	CRLS-1-36	CMTK 51V	CMTK 51L
#4	CT 51N3	CJ N3A51	CCAP 0750-RL	CRDW-3-48	CRLS-1-36	CMTK 51V	CMTK 51L
#2	CT 51N3	CJ N3A51	CCAP 0750-RL	CRDW-3-48	CRLS-1-36	CMTK 51V	CMTK 51L
#1	CT 51N3	CJ N3A51	CCAP 0750-RL	CRDW-3-48	CRLS-1-36	CMTK 52V	CMTK 51L
1/0	CT 51N3	CJ N3A51	CCAP 0750-RL	CRDW-3-48	CRLS-1-36	CMTK 52V	CMTK 51L
2/0	CT 51N3	CJ N3A51	CCAP 1500-RL	CRDW-3-48	CRLS-1-36	CMTK 52V	CMTK 51L
3/0	CT 52N3	CJ N3A52	CCAP 1500-RL	CRDW-3-48	CRLS-2-36	CMTK 52V	CMTK 51L
4/0	CT 52N3	CJ N3A52	CCAP 1500-RL	CRDW-3-48	CRLS-2-36	CMTK 52V	CMTK 51L
250	CT 52N3	CJ N3A52	CCAP 1500-RL	CRDW-4-48	CRLS-2-36	CMTK 52V	CMTK 51L
300	CT 52N3	CJ N3A52	CCAP 1500-RL	CRDW-4-48	CRLS-2-36	CMTK 53V	CMTK 52L
350	CT 52N3	CJ N3A52	CCAP 1500-RL	CRDW-4-48	CRLS-2-36	CMTK 53V	CMTK 52L
400	CT 52N3	CJ N3A53	CCAP 1500-RL	CRDW-4-48	CRLS-2-36	CMTK 53V	CMTK 52L
500	CT 52N3	CJ N3A53	CCAP 2050-RL	CRDW-4-48	CRLS-3-36	CMTK 53V	CMTK 52L
600	CT 53N3	CJ N3A53	CCAP 2050-RL	CRDW-4-48	CRLS-3-36	CMTK 53V	CMTK 52L
750	CT 53N3	CJ N3A53	CCAP 2050-RL	CRDW-4-48	CRLS-3-36	CMTK 53V	CMTK 52L
1000	CT 53N3	CJ N3A53	CCAP 2050-RL	CRDW-4-48	CRLS-3-36	CMTK 53V	CMTK 52L

3/C, TAPE SHIELDED 5 kV CABLES - 90 MILS GROUNDED, 115 MILS UNGROUNDED

CONDUCTOR SIZE	3/C LIVEFRONT TERMINATION*		ELBOW SEALING KITS		STRAIGHT JOINTS	END CAP STORAGE ONLY	JACKET REPAIR SLEEVES		MOTOR CONNECTION KITS	
	INDOOR - No BOOT	OUTDOOR - WITH BOOT	3 EACH OF	PLUS 1 OF			RAILED	RAILESS	STUB TYPE	IN-LINE TYPE
#8	CT 3X081G	CT 3B081EG	Not Available	Not Available	CJ 3821	CCAP 2750-RL	CRDW-2-48	CRLS-3-36	CMTK 51V	CMTK 51L
#6	CT 3X081G	CT 3B081EG	Not Available	Not Available	CJ 3821	CCAP 2750-RL	CRDW-2-48	CRLS-3-36	CMTK 51V	CMTK 51L
#4	CT 3X081G	CT 3B081EG	Not Available	Not Available	CJ 3821	CCAP 2750-RL	CRDW-2-48	CRLS-3-36	CMTK 51V	CMTK 51L
#2	CT 3X081G	CT 3B081EG	CESK 1G	CT3MODA	CJ 3821	CCAP 2750-RL	CRDW-2-48	CRLS-3-36	CMTK 51V	CMTK 51L
#1	CT 3X081G	CT 3B081EG	CESK 1G	CT3MODA	CJ 3821	CCAP 2750-RL	CRDW-2-48	CRLS-3-36	CMTK 52V	CMTK 51L
1/0	CT 3X082G	CT 3B082EG	CESK 1G	CT3MODA	CJ 3821	CCAP 2750-RL	CRDW-2-48	CRLS-3-36	CMTK 52V	CMTK 51L
2/0	CT 3X082G	CT 3B082EG	CESK 1G	CT3MODA	CJ 3821	CCAP 2750-RL	CRDW-2-48	CRLS-3-36	CMTK 52V	CMTK 51L
3/0	CT 3X082G	CT 3B082EG	CESK 1G	CT3MODA	CJ 3822	CCAP 2750-RL	CRDW-3-48	CRLS-3-36	CMTK 52V	CMTK 51L
4/0	CT 3X082G	CT 3B082EG	CESK 1G	CT3MODA	CJ 3822	CCAP 3500-RL	CRDW-3-48	CRLS-3-36	CMTK 52V	CMTK 51L
250	CT 3X082G	CT 3B082EG	CESK 1G	CT3MODA	CJ 3822	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 52V	CMTK 51L
300	CT 3X083G	CT 3B083EG	CESK 1G	CT3MODA	CJ 3822	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 53V	CMTK 52L
350	CT 3X083G	CT 3B083EG	CESK 1G	CT3MODA	CJ3823	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 53V	CMTK 52L
400	CT 3X083G	CT 3B083EG	CESK 1G	CT3MODA	CJ3823	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 53V	CMTK 52L
500	CT 3X083G	CT 3B083EG	CESK 1G	CT3MODA	CJ3823	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 53V	CMTK 52L
600	CT 3X084G	CT 3B084EG	CESK 2G	CT3MODB	CJ3823	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 53V	CMTK 52L
750	CT 3X084G	CT 3B084EG	CESK 2G	CT3MODB	CJ3823	CCAP 4700-RL	CRDW-4-48	CRLS-4-36	CMTK 53V	CMTK 52L
1000	CT 3X084G	CT 3B084EG	CESK 2G	CT3MODB	CJ3824	CCAP 4700-RL	CRDW-4-48	CRLS-4-36	CMTK 53V	CMTK 52L

3/C, ARMoured TAPE SHIELDED 5 kV CABLES - 90 MILS GROUNDED, 115 MILS UNGROUNDED

CONDUCTOR SIZE	3/C LIVEFRONT TERMINATIONS*		ELBOW SEALING KITS		ARMoured JOINTS	END CAP STORAGE ONLY	JACKET REPAIR SLEEVES		MOTOR CONNECTION KITS	
	INDOOR - No BOOT	OUTDOOR - WITH BOOT	3 EACH OF	PLUS 1 OF			RAILED	RAILESS	STUB TYPE	IN-LINE TYPE
#8	CT 3X081G	CT 3B081EG	Not Available	Not Available	CJ 3A821	CCAP 2750-RL	CRDW-3-48	CRLS-4-36	CMTK 51V	CMTK 51L
#6	CT 3X081G	CT 3B081EG	Not Available	Not Available	CJ 3A821	CCAP 2750-RL	CRDW-3-48	CRLS-4-36	CMTK 51V	CMTK 51L
#4	CT 3X081G	CT 3B081EG	Not Available	Not Available	CJ 3A821	CCAP 2750-RL	CRDW-3-48	CRLS-4-36	CMTK 51V	CMTK 51L
#2	CT 3X081G	CT 3B081EG	CESK 1G	CT3MODA	CJ 3A821	CCAP 2750-RL	CRDW-3-48	CRLS-4-36	CMTK 51V	CMTK 51L
#1	CT 3X081G	CT 3B081EG	CESK 1G	CT3MODA	CJ 3A821	CCAP 2750-RL	CRDW-3-48	CRLS-4-36	CMTK 52V	CMTK 51L
1/0	CT 3X082G	CT 3B082EG	CESK 1G	CT3MODA	CJ 3A821	CCAP 2750-RL	CRDW-3-48	CRLS-4-36	CMTK 52V	CMTK 51L
2/0	CT 3X082G	CT 3B082EG	CESK 1G	CT3MODA	CJ 3A821	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 52V	CMTK 51L
3/0	CT 3X082G	CT 3B082EG	CESK 1G	CT3MODA	CJ 3A822	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 52V	CMTK 51L
4/0	CT 3X082G	CT 3B082EG	CESK 1G	CT3MODA	CJ 3A822	CCAP 3500-RL	CRDW-3-48	CRLS-4-36	CMTK 52V	CMTK 51L
250	CT 3X082G	CT 3B082EG	CESK 1G	CT3MODA	CJ 3A822	CCAP 3500-RL	CRDW-4-48	CRLS-5-36	CMTK 52V	CMTK 51L
300	CT 3X083G	CT 3B083EG	CESK 1G	CT3MODA	CJ 3A822	CCAP 3500-RL	CRDW-4-48	CRLS-5-36	CMTK 53V	CMTK 52L
350	CT 3X083G	CT 3B083EG	CESK 1G	CT3MODA	CJ 3A823	CCAP 3500-RL	CRDW-4-48	CRLS-5-36	CMTK 53V	CMTK 52L
400	CT 3X083G	CT 3B083EG	CESK 1G	CT3MODA	CJ 3A823	CCAP 3500-RL	CRDW-4-48	CRLS-5-36	CMTK 53V	CMTK 52L
500	CT 3X083G	CT 3B083EG	CESK 1G	CT3MODA	CJ 3A823	CCAP 3500-RL	CRDW-4-48	CRLS-5-36	CMTK 53V	CMTK 52L
600	CT 3X084G	CT 3B084EG	CESK 2G	CT3MODB	CJ 3A823	CCAP 4700-RL	CRDW-4-48	CRLS-5-36	CMTK 53V	CMTK 52L
750	CT 3X084G	CT 3B084EG	CESK 2G	CT3MODB	CJ 3A823	CCAP 4700-RL	CRDW-4-48	CRLS-5-36	CMTK 53V	CMTK 52L
1000	CT 3X084G	CT 3B084EG	CESK 2G	CT3MODB	CJ 3A824	CCAP 4700-RL	CRDW-4-48	CRLS-5-36	CMTK 53V	CMTK 52L

*Three conductor terminations can be supplied with a boot (CT 3B08xG for indoor and CT 3B08xEG for outdoor) for a totally sealed system. They can also be ordered without a boot when a totally sealed system is not desired or when other means are used to seal the outer jacket of the cable, such as a TECK connector JAG type connector or other sealing glands are used. For that application use CT 3X08xG for indoor and CT 3X08xEG for outdoor.

3/C, TAPE SHIELDED 15 kV CABLES - 175 MILS GROUNDED, 220 MILS UNGROUNDED

CONDUCTOR SIZE	3/C LIVEFRONT TERMINATIONS*		ELBOW SEALING KITS		STRAIGHT JOINTS	END CAP STORAGE ONLY	JACKETED REPAIR SLEEVES	
	INDOOR - NO BOOT	OUTDOOR - WITH BOOT	3 EACH OF	PLUS 1 OF			RAILED	RAILESS
#4	CT 3X151G	CT 3B151EG	CESK 1G	CT3MODA	CJ 31521	CCAP 3500-RL	CRDW-3-48	CRLS-4-36
#2	CT 3X151G	CT 3B151EG	CESK 1G	CT3MODA	CJ 31521	CCAP 3500-RL	CRDW-3-48	CRLS-4-36
#1	CT 3X151G	CT 3B151EG	CESK 1G	CT3MODA	CJ 31521	CCAP 3500-RL	CRDW-3-48	CRLS-4-36
1/0	CT 3X151G	CT 3B151EG	CESK 1G	CT3MODA	CJ 31521	CCAP 3500-RL	CRDW-3-48	CRLS-4-36
2/0	CT 3X151G	CT 3B151EG	CESK 1G	CT3MODA	CJ 31521	CCAP 3500-RL	CRDW-3-48	CRLS-4-36
3/0	CT 3X151G	CT 3B151EG	CESK 1G	CT3MODA	CJ 31521	CCAP 3500-RL	CRDW-3-48	CRLS-4-36
4/0	CT 3X151G	CT 3B151EG	CESK 1G	CT3MODA	CJ 31521	CCAP 3500-RL	CRDW-3-48	CRLS-4-36
250	CT 3X152G	CT 3B152EG	CESK 1G	CT3MODA	CJ 31522	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
300	CT 3X152G	CT 3B152EG	CESK 2G	CT3MODA	CJ 31522	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
350	CT 3X152G	CT 3B152EG	CESK 2G	CT3MODA	CJ 31522	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
400	CT 3X153G	CT 3B153EG	CESK 2G	CT3MODA	CJ 31522	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
500	CT 3X153G	CT 3B153EG	CESK 2G	CT3MODB	CJ 31523	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
600	CT 3X153G	CT 3B153EG	CESK 2G	CT3MODB	CJ 31523	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
750	CT 3X153G	CT 3B153EG	CESK 2G	CT3MODB	CJ 31523	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
1000	CT 3X153G	CT 3B153EG	CESK 2G	CT3MODB	CJ 31524	CCAP 4700-RL	CRDW-4-48	CRLS-5-36

3/C, ARMoured TAPE SHIELDED 15 kV CABLES - 175 MILS GROUNDED, 220 MILS UNGROUNDED

CONDUCTOR SIZE	3/C LIVEFRONT TERMINATIONS*		ELBOW SEALING KITS		ARMoured JOINTS	END CAP STORAGE ONLY	JACKET REPAIR SLEEVES	
	INDOOR - NO BOOT	OUTDOOR - WITH BOOT	3 EACH OF	PLUS 1 OF			RAILED	RAILESS
#4	CT 3X151G	CT 3B151EG	CESK 1G	CT3MODA	CJ 3A1521	CCAP 3500-RL	CRDW-3-48	CRLS-4-36
#2	CT 3X151G	CT 3B151EG	CESK 1G	CT3MODA	CJ 3A1521	CCAP 3500-RL	CRDW-3-48	CRLS-4-36
#1	CT 3X151G	CT 3B151EG	CESK 1G	CT3MODA	CJ 3A1521	CCAP 3500-RL	CRDW-3-48	CRLS-4-36
1/0	CT 3X151G	CT 3B151EG	CESK 1G	CT3MODA	CJ 3A1521	CCAP 3500-RL	CRDW-3-48	CRLS-4-36
2/0	CT 3X151G	CT 3B151EG	CESK 1G	CT3MODA	CJ 3A1521	CCAP 3500-RL	CRDW-3-48	CRLS-4-36
3/0	CT 3X151G	CT 3B151EG	CESK 1G	CT3MODA	CJ 3A1521	CCAP 3500-RL	CRDW-3-48	CRLS-5-36
4/0	CT 3X151G	CT 3B151EG	CESK 1G	CT3MODA	CJ 3A1521	CCAP 3500-RL	CRDW-3-48	CRLS-5-36
250	CT 3X152G	CT 3B152EG	CESK 1G	CT3MODA	CJ 3A1522	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
300	CT 3X152G	CT 3B152EG	CESK 2G	CT3MODA	CJ 3A1522	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
350	CT 3X152G	CT 3B152EG	CESK 2G	CT3MODA	CJ 3A1522	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
400	CT 3X153G	CT 3B153EG	CESK 2G	CT3MODA	CJ 3A1522	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
500	CT 3X153G	CT 3B153EG	CESK 2G	CT3MODB	CJ 3A1523	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
600	CT 3X153G	CT 3B153EG	CESK 2G	CT3MODB	CJ 3A1523	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
750	CT 3X153G	CT 3B153EG	CESK 2G	CT3MODB	CJ 3A1523	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
1000	CT 3X153G	CT 3B153EG	CESK 2G	CT3MODB	CJ 3A1524	CCAP 4700-RL	CRDW-4-48	CRLS-6-36

*Three conductor terminations can be supplied with a boot (CT 3B15xG for indoor and CT 3B15xEG for outdoor) for a totally sealed system. They can also be ordered without a boot when a totally sealed system is not desired or when other means are used to seal the outer jacket of the cable, such as a TECK connector JAG type connector or other sealing glands are used. For that application use CT 3X15xG for indoor and CT 3X15xEG for outdoor.

3/C, TAPE SHIELDED 25 - 28 kV CABLES - 260 - 280 MILS GROUNDED

CONDUCTOR SIZE	3/C LIVEFRONT TERMINATIONS*		ELBOW SEALING KITS		STRAIGHT JOINTS	END CAP STORAGE ONLY	JACKETED REPAIR SLEEVES	
	INDOOR - NO BOOT	OUTDOOR - WITH BOOT	3 EACH OF	PLUS 1 OF			RAILED	RAILESS
#1	CT 3X251G	CT 3B251EG	CESK 1G	CT 3MODA	CJ 32521	CCAP 3500-RL	CRDW-4-48	CRLS-5-36
1/0	CT 3X251G	CT 3B251EG	CESK 1G	CT 3MODA	CJ 32521	CCAP 3500-RL	CRDW-4-48	CRLS-5-36
2/0	CT 3X251G	CT 3B251EG	CESK 1G	CT 3MODA	CJ 32521	CCAP 3500-RL	CRDW-4-48	CRLS-5-36
3/0	CT 3X251G	CT 3B251EG	CESK 1G	CT 3MODA	CJ 32521	CCAP 3500-RL	CRDW-4-48	CRLS-5-36
4/0	CT 3X251G	CT 3B251EG	CESK 2G	CT 3MODA	CJ 32521	CCAP 3500-RL	CRDW-4-48	CRLS-5-36
250	CT 3X251G	CT 3B251EG	CESK 2G	CT 3MODA	CJ 32522	CCAP 3500-RL	CRDW-4-48	CRLS-5-36
300	CT 3X251G	CT 3B251EG	CESK 2G	CT 3MODA	CJ 32522	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
350	CT 3X252G	CT 3B252EG	CESK 2G	CT 3MODB	CJ 32522	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
400	CT 3X252G	CT 3B252EG	CESK 2G	CT 3MODB	CJ 32522	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
500	CT 3X252G	CT 3B252EG	CESK 2G	CT 3MODB	CJ 32522	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
600	CT 3X252G	CT 3B252EG	CESK 2G	CT 3MODB	CJ 32523	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
750	CT 3X252G	CT 3B252EG	CESK 2G	CT 3MODB	CJ 32523	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
1000	CT 3X252G	CT 3B252EG	CESK 2G	CT 3MODB	CJ 32523	CCAP 4700-RL	CRDW-4-48	CRLS-6-36

3/C, ARMoured TAPE SHIELDED 25 - 28 kV CABLES - 260 - 280 MILS GROUNDED

CONDUCTOR SIZE	3/C LIVEFRONT TERMINATIONS*		ELBOW SEALING KITS		ARMoured JOINTS	END CAP STORAGE ONLY	JACKET REPAIR SLEEVES	
	INDOOR - NO BOOT	OUTDOOR - WITH BOOT	3 EACH OF	PLUS 1 OF			RAILED	RAILESS
#1	CT 3X251G	CT 3B251EG	CESK 1G	CT 3MODA	CJ 3A2521	CCAP 3500-RL	CRDW-4-48	CRLS-5-36
1/0	CT 3X251G	CT 3B251EG	CESK 1G	CT 3MODA	CJ 3A2521	CCAP 3500-RL	CRDW-4-48	CRLS-5-36
2/0	CT 3X251G	CT 3B251EG	CESK 1G	CT 3MODA	CJ 3A2521	CCAP 3500-RL	CRDW-4-48	CRLS-5-36
3/0	CT 3X251G	CT 3B251EG	CESK 1G	CT 3MODA	CJ 3A2521	CCAP 3500-RL	CRDW-4-48	CRLS-5-36
4/0	CT 3X251G	CT 3B251EG	CESK 2G	CT 3MODA	CJ 3A2521	CCAP 3500-RL	CRDW-4-48	CRLS-5-36
250	CT 3X251G	CT 3B251EG	CESK 2G	CT 3MODA	CJ 3A2522	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
300	CT 3X251G	CT 3B251EG	CESK 2G	CT 3MODA	CJ 3A2522	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
350	CT 3X252G	CT 3B252EG	CESK 2G	CT 3MODB	CJ 3A2522	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
400	CT 3X252G	CT 3B252EG	CESK 2G	CT 3MODB	CJ 3A2522	CCAP 4700-RL	CRDW-4-48	CRLS-5-36
500	CT 3X252G	CT 3B252EG	CESK 2G	CT 3MODB	CJ 3A2522	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
600	CT 3X252G	CT 3B252EG	CESK 2G	CT 3MODB	CJ 3A2523	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
750	CT 3X252G	CT 3B252EG	CESK 2G	CT 3MODB	CJ 3A2523	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
1000	CT 3X252G	CT 3B252EG	CESK 2G	CT 3MODB	CJ 3A2523	CCAP 4700-RL	CRDW-4-48	CRLS-6-36

*Three conductor terminations can be supplied with a boot (CT 3B25xG for indoor and CT 3B25xEG for outdoor) for a totally sealed system. They can also be ordered without a boot when a totally sealed system is not desired or when other means are used to seal the outer jacket of the cable, such as a TECK connector JAG type connector or other sealing glands are used. For that application use CT 3X25xG for indoor and CT 3X25xEG for outdoor.


3/C, TAPE SHIELDED 35 kV CABLES - 345 MILS GROUNDED

CONDUCTOR SIZE	3/C LIVEFRONT TERMINATIONS*		ELBOW SEALING KITS		STRAIGHT JOINTS	END CAP STORAGE ONLY	JACKETED REPAIR SLEEVES	
	INDOOR - NO BOOT	OUTDOOR - WITH BOOT	3 EACH OF	PLUS 1 OF			RAILED	RAILESS
#1	CT 3X351G	CT 3B351EG	CESK 2G	CT3MODB	CJ 33521	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
1/0	CT 3X351G	CT 3B351EG	CESK 2G	CT3MODB	CJ 33521	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
2/0	CT 3X351G	CT 3B351EG	CESK 2G	CT3MODB	CJ 33521	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
3/0	CT 3X351G	CT 3B351EG	CESK 2G	CT3MODB	CJ 33521	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
4/0	CT 3X351G	CT 3B351EG	CESK 2G	CT3MODB	CJ 33522	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
250	CT 3X351G	CT 3B351EG	CESK 2G	CT3MODB	CJ 33522	CCAP 4700-RL	CRDW-5-48	CRLS-6-36
300	CT 3X351G	CT 3B351EG	CESK 2G	CT3MODB	CJ 33522	CCAP 4700-RL	CRDW-5-48	CRLS-6-36
350	CT 3X352G	CT 3B352EG	CESK 2G	CT3MODB	CJ 33522	CCAP 4700-RL	CRDW-5-48	CRLS-6-36
400	CT 3X352G	CT 3B352EG	CESK 2G	CT3MODB	CJ 33522	CCAP 4700-RL	CRDW-5-48	CRLS-6-36
500	CT 3X352G	CT 3B352EG	CESK 2G	CT3MODB	CJ 33522	CCAP 4700-RL	CRDW-5-48	CRLS-6-36
600	CT 3X352G	CT 3B352EG	CESK 2G	CT3MODB	CJ 33523	Not Available	CRDW-5-48	CRLS-6-36
750	CT 3X352G	CT 3B352EG	CESK 2G	CT3MODB	CJ 33523	Not Available	CRDW-5-48	CRLS-6-36
1000	CT 3X352G	CT 3B352EG	CESK 2G	CT3MODB	CJ 33523	Not Available	CRDW-5-48	CRLS-6-36

3/C, ARMoured TAPE SHIELDED 35 kV CABLES - 345 MILS GROUNDED

CONDUCTOR SIZE	3/C LIVEFRONT TERMINATIONS*		ELBOW SEALING KITS		ARMoured JOINTS	END CAP STORAGE ONLY	JACKET REPAIR SLEEVES	
	INDOOR - NO BOOT	OUTDOOR - WITH BOOT	3 EACH OF	PLUS 1 OF			RAILED	RAILESS
#1	CT 3X351G	CT 3B351EG	CESK 2G	CT3MODB	CJ 3A3521	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
1/0	CT 3X351G	CT 3B351EG	CESK 2G	CT3MODB	CJ 3A3521	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
2/0	CT 3X351G	CT 3B351EG	CESK 2G	CT3MODB	CJ 3A3521	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
3/0	CT 3X351G	CT 3B351EG	CESK 2G	CT3MODB	CJ 3A3521	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
4/0	CT 3X351G	CT 3B351EG	CESK 2G	CT3MODB	CJ 3A3522	CCAP 4700-RL	CRDW-4-48	CRLS-6-36
250	CT 3X352G	CT 3B352EG	CESK 2G	CT3MODB	CJ 3A3522	CCAP 4700-RL	CRDW-5-48	CRLS-6-36
300	CT 3X352G	CT 3B352EG	CESK 2G	CT3MODB	CJ 3A3522	CCAP 4700-RL	CRDW-5-48	CRLS-6-36
350	CT 3X352G	CT 3B352EG	CESK 2G	CT3MODB	CJ 3A3522	CCAP 4700-RL	CRDW-5-48	CRLS-6-36
400	CT 3X352G	CT 3B352EG	CESK 2G	CT3MODB	CJ 3A3522	CCAP 4700-RL	CRDW-5-48	CRLS-6-36
500	CT 3X352G	CT 3B352EG	CESK 2G	CT3MODB	CJ 3A3522	CCAP 4700-RL	CRDW-5-48	CRLS-6-36
600	CT 3X352G	CT 3B352EG	CESK 2G	CT3MODB	CJ 3A3523	Not Available	CRDW-5-48	CRLS-6-36
750	CT 3X352G	CT 3B352EG	CESK 2G	CT3MODB	CJ 3A3523	Not Available	CRDW-5-48	CRLS-6-36
1000	CT 3X352G	CT 3B352EG	CESK 2G	CT3MODB	CJ 3A3523	Not Available	CRDW-5-48	CRLS-6-36

*Three conductor terminations can be supplied with a boot (CT 3B35xG for indoor and CT 3B35xEG for outdoor) for a totally sealed system. They can also be ordered without a boot when a totally sealed system is not desired or when other means are used to seal the outer jacket of the cable, such as a TECK connector JAG type connector or other sealing glands are used. For that application use CT 3X35xG for indoor and CT 3X35xEG for outdoor.



DSG-CANUSA

A SHAWCOR COMPANY

INSULATE

SEAL

PROTECT

AMERICAS

DSG-Canusa, a division of ShawCor Inc.
173 Commerce Blvd.
Cincinnati, Ohio 45140
USA

Toll Free: 800 422 6872
Telephone: 513 683 7800
Fax: 513 683 7809
eMail: sales@dsgcanusa.com

CANADA / ASIA PACIFIC

DSG-Canusa, a division of ShawCor Ltd.
25 Bethridge Road
Toronto, Ontario M9W 1M7
Canada

Toll Free: 800 845 6808
Telephone: 416 743 7111
Fax: 416 743 7752
eMail: sales@dsgcanusa.com

EUROPE / MIDDLE EAST / AFRICA

DSG-Canusa GmbH & Co. KG
Heidestraße 5
D-53340, Meckenheim
Germany

Telephone: 49 0 22 25/88 92-0
Fax: 49 0 22 25/88 92-44
eMail: sales@dsg-canusa.de

www.dsgcanusa.com